

GUHRING

DRILLS

Series # 208 (D)

HSS general purpose (Type N), jobber length, 118° point, standard straight shank, steam oxide, LH

EDP Number	Diameter				List Price	
	mm	decimal inch	fraction inch	wire/letter	Pkg. Qty.	per piece
9002080071000	7.100	0.2795			10	6.83
9002080071400	7.140	0.2811	9/32	K	10	7.27
9002080072000	7.200	0.2835			10	7.27
9002080073000	7.300	0.2874			10	7.27
9002080074000	7.400	0.2913			10	7.99
9002080075000	7.500	0.2953			10	7.99
9002080075400	7.540	0.2969	19/64		5	7.99
9002080076000	7.600	0.2992			5	8.69
9002080077000	7.700	0.3031			5	8.69
9002080077500	7.750	0.3051			5	16.81
9002080078000	7.800	0.3071			5	8.69
9002080078500	7.850	0.3091			5	8.69
9002080079000	7.900	0.3110			5	8.69
9002080079400	7.940	0.3126	5/16		5	8.69
9002080080000	8.000	0.3150			5	8.69
9002080081000	8.100	0.3189			5	10.73
9002080082000	8.200	0.3228		P	5	10.73
9002080083000	8.300	0.3268			5	11.39
9002080083300	8.330	0.3280	21/64		5	9.31
9002080084000	8.400	0.3307			5	11.39
9002080084300	8.430	0.3319		Q	5	23.54
9002080085000	8.500	0.3346			5	9.31
9002080086000	8.600	0.3386			5	12.67
9002080087000	8.700	0.3425			5	12.67
9002080088000	8.800	0.3465			5	12.67
9002080089000	8.900	0.3504			5	12.67
9002080090000	9.000	0.3543			5	10.73
9002080091000	9.100	0.3583			5	14.67
9002080092000	9.200	0.3622			5	14.67
9002080093000	9.300	0.3661			5	14.67
9002080094000	9.400	0.3701			5	14.67
9002080095000	9.500	0.3740			5	11.98
9002080095200	9.520	0.3748	3/8		5	11.98
9002080096000	9.600	0.3780			5	16.09
9002080097000	9.700	0.3819			5	16.09
9002080097500	9.750	0.3839			5	25.54
9002080098000	9.800	0.3858		W	5	16.81
9002080099000	9.900	0.3898			5	16.81
9002080099200	9.920	0.3906	25/64		5	16.81
9002080100000	10.000	0.3937			5	12.67
9002080101000	10.100	0.3976			5	16.81
9002080102000	10.200	0.4016			5	16.81
9002080102500	10.250	0.4035			5	25.54
9002080103000	10.300	0.4055			5	18.77
9002080103200	10.320	0.4063	13/32		5	14.67
9002080104000	10.400	0.4094			5	18.77
9002080105000	10.500	0.4134			5	14.67
9002080106000	10.600	0.4173			5	20.21
9002080107000	10.700	0.4213			1	20.21
9002080107200	10.720	0.4220	27/64		1	20.21
9002080107500	10.750	0.4232			1	33.57
9002080110000	11.000	0.4331			1	17.43
9002080111100	11.110	0.4374	7/16		1	20.21
9002080112000	11.200	0.4409			1	24.13
9002080113000	11.300	0.4449			1	24.13
9002080115000	11.500	0.4528			1	19.44
9002080115100	11.510	0.4531	29/64		1	19.44
9002080118000	11.800	0.4646			1	25.54
9002080119000	11.900	0.4685			1	26.83
9002080119100	11.910	0.4689	15/32		1	20.21
9002080120000	12.000	0.4724			1	20.21
9002080121000	12.100	0.4764			1	30.30
9002080122000	12.200	0.4803			1	30.30

Series # 208 (D)

HSS general purpose (Type N), jobber length, 118° point, standard straight shank, steam oxide, LH

EDP Number	Diameter				List Price	
	mm	decimal inch	fraction inch	wire/letter	Pkg. Qty.	per piece
9002080122500	12.250	0.4823			1	30.30
9002080123000	12.300	0.4843	31/64		1	25.54
9002080124000	12.400	0.4882			1	25.54
9002080125000	12.500	0.4921			1	23.54
9002080126000	12.600	0.4961			1	37.71
9002080127000	12.700	0.5000	1/2		1	26.83
9002080130000	13.000	0.5118			1	26.83
9002080132500	13.250	0.5217			1	39.12
9002080134000	13.400	0.5276			1	45.81
9002080144000	14.400	0.5669			1	71.48
9002080147000	14.700	0.5787			1	53.98
9002080148000	14.800	0.5827			1	71.48
9002080152500	15.250	0.6004			1	67.49
9002080155000	15.500	0.6102			1	40.40
9002080158700	15.870	0.6248	5/8		1	84.41
9002080160000	16.000	0.6299			1	40.40

GUHRING Select Series # 217 (DVHS)

HSS general purpose (Type N), taper length, 118° point, standard straight shank, steam oxide

EDP Number	Diameter				List Price	
	mm	decimal inch	fraction inch	wire/letter	Pkg. Qty.	per piece
9002170004000	0.400	0.0157	1/64		10	16.56
9002170004400	0.440	0.0173			10	38.61
9002170004700	0.470	0.0185			10	38.61
9002170005000	0.500	0.0197			10	27.32
9002170005200	0.520	0.0205			10	38.61
9002170005500	0.550	0.0217			10	38.61
9002170005700	0.570	0.0224		74	10	10.66
9002170006000	0.600	0.0236			10	23.93
9002170006200	0.620	0.0244			10	23.93
9002170006500	0.650	0.0256			10	23.93
9002170007000	0.700	0.0276			10	20.86
9002170007300	0.730	0.0287			10	32.09
9002170007500	0.750	0.0295			10	20.86
9002170007600	0.760	0.0299			10	32.09
9002170007900	0.790	0.0311	1/32	68	10	12.13
9002170008000	0.800	0.0315			10	19.16
9002170008200	0.820	0.0323			10	32.09
9002170008500	0.850	0.0335			10	19.16
9002170009000	0.900	0.0354			10	17.44
9002170009200	0.920	0.0362			10	27.32
9002170009500	0.950	0.0374			10	17.44
9002170009700	0.970	0.0382		62	10	8.03
9002170010000	1.000	0.0394			10	6.51
9002170010200	1.020	0.0402		60	10	7.38
9002170010400	1.040	0.0409		59	10	7.38
9002170010500	1.050	0.0413			10	15.91
9002170010700	1.070	0.0421		58	10	7.38
9002170010900	1.090	0.0429		57	10	7.38
9002170011000	1.100	0.0433			10	11.90
9002170011200	1.120	0.0441			10	20.86
9002170011500	1.150	0.0453			10	14.19
9002170011800	1.180	0.0465		56	10	7.38
9002170011900	1.190	0.0469	3/64		10	6.26
9002170012000	1.200	0.0472			10	7.61
9002170012500	1.250	0.0492			10	7.61
9002170013000	1.300	0.0512			10	7.61
9002170013200	1.320	0.0520		55	10	7.38
9002170013500	1.350	0.0531			10	12.62